
	Application No.	Applicant(s)	
Notice of Allowability	10/668,900	ASADUZZAMAN ET	Δι .
	Examiner	Art Unit	AL.
	Emmanual Bayard	2044	
	Emmanuel Bayard	2611	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address— All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. X This communication is responsive to <u>amendment filed on 8/14/07</u> .			
2. X The allowed claim(s) is/are <u>2-6,9-12,16-27, 29, and 31-40</u> .			
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have been received.			
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF			
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) hereto or 2) to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
•			
•			
Attachment(s)		N-4 A 11 11	
1. Notice of References Cited (PTO-892)	5. Notice of Informal F	• •	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da	(PTO-413), te	
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. 🖾 Examiner's Amend	ment/Comment	
Paper No./Mail Date	8. 🛛 Examiner's Stateme	ent of Reasons for Allo	wance
or biological material	9.		
•			ļ



DETAILED ACTION

This is in response to communication filed on 8/14/07 in which claim 2-6, 9-12, 16-27, 29 and 31-40 are pending. The applicant's amendments have been fully considered therefore this is in condition for allowance. In addition the pending claims have been renumbered as 2-14, 1, 15-19, 23-29, 20-22 and 30-32, respectively.

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Michael Chasan on 9/21/07.

The application has been amended as follows: In line 4 of claim 38, "protocol" has been deleted and replaced with --data rate--.

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: the prior arts of record fail to anticipate or render obvious the following recited features: a dynamically adjustable parts per million (PPM) detector that receives as input the reference clock signal, the recovered clock signal, and a PPM control signal operative to output a signal when a frequency difference between the reference clock signal and the recovered clock signal is within a dynamically controllable frequency setting controlled by the PPM control signal as recited in claim 20. Determining when a frequency difference between

Art Unit: 2611

the reference clock signal and the recovered clock signal is within a predetermined dynamically controllable frequency setting controlled by a PPM control signal as recited in claim 26.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

1. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Prentice et al U.S. patent NO 6,397,042 B1 teaches a self test of an electronic device.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Emmanuel Bayard whose telephone number is 571 272 3016. The examiner can normally be reached on Monday-Friday (7:Am-4:30PM) Alternate Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chieh Fan can be reached on 571 272 3042. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2611

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

9/21/2007

Emmanuel Bayard ENMANUEL BAYARIER ARLUDIT SAMINER